				120	00,00		
				e Relax wi	th friends	125,00	
				<b>W XDI97</b>			
					7,00		
				Rei			
					the friends		
			PART	5 LIST			
1	QTY	PART NUMBER STOCK NUM	MBER	DESCRIPTION			
		TB-200-593 COMTIMSA		SLEEPER			
	2	TB-200-533_B COMTIMSA		SLEEPER			
	4	COMSTEMIS		Base Anchor Bracket - Powder Coated Steel	UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN MILLIMETER	PROPRIETARY AND CONFIDENTIAL	PRO-500-0
	8	COMA2CBM		M10 X 150 (DIN 603) Cut to 120mm	TOLERANCES: LINEAR: ±2MM	THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF FENLAND LEISURE PRODUCTS. ANY	Product Range:
	8	COMA2WS6		M6 X 80 TORX WOODSCREW	1 DECIMAL PLACE: ±0.5MM ANGULAR: ±1°	REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF FENLAND	
	4	COMA2WS6		M6 X 100MM TORX WOODSCREW		LEISURE PRODUCTS IS PROHIBITED.	_
8 COMA2FWM10   8 COMA2NNM10   8 COMPLACAP0028				M10 WASHER (DIN 125)			
			M10 NYLOC NUT (DIN 985)		online playgrounds		
			TWO PART CAP				
	2	200 x 200 x	k 200	0.01 CONCRETE FOUNDATION	online p	laygrounds	Tel: 01354

4

5 6

7 8

9

13




# PRO-500-064\_PF SLEEPER BENCH W1200 X H300


## Playground Equipment


Date: 30/04/2021 Page: DO NOT SCALE FROM DRAWING A3

Tel: 01354 638359 www.onlineplaygrounds.co.uk




	Date:
	30/04/202
	Page:
DO NOT SCALE FROM DRAWING	A3






1. SECURE THE POST FEET TO THE SLEEPER LEGS USING THE FIXING PROVIDED AS ILLUSTRATED BELOW.




2. SECURE THE SLEEPER LEGS TO THE BENCH TOP UING THE FIXINGS PROVIDED AS ILLUSTRATED BELOW.



3. WITH THE LEGS SECURED TO THE BENCH TOP, PLACE THE BENCH INTO THE FOUNDATION HOLES

4. FINALLY, ENSURE UNIT IS LEVEL AND PLUMB, ALL FIXINGS HAVE BEEN TIGHTENED AND ANY PROTECTIVE CAPS NEEDED ARE IN PLACE. ADD CONCRETE TO EACH FOUNDATION HOLE AND LEAVE FOR 48 HOURS.



Tel: 01354 638359 www.onlineplaygrounds.co.uk