




PARTS LIST				
ITEM	QTY	PART NUMBER	STOCK NUMBER	DESCRIPTION
1	1	TB-200-655	COMTIMSAW0022	1M Fence Post 1450x95x95
2	2	TB-200-657	COMTIMSAW0046	Fence Rail 2095x95x33 (2M Post Centres)
3	11	TB-200-656	COMTIMSAW0042	1M Fence Pale 900x20x95mm
4	40		COMA2WS4X40	M4x40 Torx Woodscrew A2 Stainless Steel
5	4		COMA2WS4X70	M4x70 Torx Woodscrew A2 Stainless Steel
6	1			0.012 <sup>3</sup> Concrete Foundation 200 x 200 x 300




UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN MILLIMETERS TOLERANCES: LINEAR:           ±2MM 1 DECIMAL PLACE: ±0.5MM ANGULAR:         ±1°	PROPRIETARY AND CONFIDENTIAL  THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF FENLAND LEISURE PRODUCTS. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF FENLAND LEISURE PRODUCTS IS PROHIBITED.	Title:	
--	--	--------	--




UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN MILLIMETERS TOLERANCES: LINEAR: ±2MM 1 DECIMAL PLACE: ±0.5MM ANGULAR: ±1°	PROPRIETARY AND CONFIDENTIAL  THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF FENLAND LEISURE PRODUCTS. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF FENLAND LEISURE PRODUCTS IS PROHIBITED.	Title:  PRO-500-141	
		Product Range:  Fencing	
		DO NOT SCALE FROM DRAWING	Date:  13/01/2020
			Page:
			A3
		Tel: 01354 638359 Fax: 01354 638464 www.fenandleisure.co.uk	

ALL FOUNDATIONS 200 X 200 X 300 DEEP UNLESS OTHERWISE SPECIFIED


1. POSITION THE POSTS IN THE FOUNDATION HOLES AS ILLUSTRATED BELOW. ONE POST IS INCLUDED IN EACH PANEL. EACH PANEL WILL CONNECT TO THE NEXT. WHEN INSTALLING AN END PANEL THE POST WILL BE FROM THE INCLUDED MODULE.



2. USING THE RAIL WEDGE BLOCKS AS SUPPORT MOVE THE FENCE PANEL INTO POSITION, ENSURE THE END OF THE RAIL IS FLUSH WITH BOTH ENDS OF THE POSTS.



3. WITH THE FENCE PANEL CORRECTLY PLACED SECURE THE PANEL USING THE POST PALES AND FIXINGS PROVIDED. ENSURE THAT THE POSTS STAY IN POSITION WHILE THE PANEL IS BEING SECURED.




UNLESS OTHERWISE SPECIFIED:  
DIMENSIONS ARE IN MILLIMETERS  
TOLERANCES:  
LINEAR:  $\pm 2\text{MM}$   
1 DECIMAL PLACE:  $\pm 0.5\text{MM}$   
ANGULAR:  $\pm 1^\circ$


**PROPRIETARY AND CONFIDENTIAL**  
THE INFORMATION CONTAINED IN THIS  
DRAWING IS THE SOLE PROPERTY OF  
FENLAND LEISURE PRODUCTS. ANY  
REPRODUCTION IN PART OR AS A WHOLE  
WITHOUT THE WRITTEN PERMISSION  
OF FENLAND  
LEISURE PRODUCTS IS PROHIBITED.



Title: PRO-500-141	
Product Range: Fencing	
DO NOT SCALE FROM DRAWING	Date: 13/01/2020
	Page: A3
	Tel: 01354 638359 Fax: 01354 638464 www.fenandleisure.co.uk

4. FINALLY, ENSURE UNIT IS LEVEL AND PLUMB, ALL FIXINGS HAVE BEEN TIGHTENED AND PROTECTIVE CAPS IN PLACE. ADD CONCRETE TO EACH FOUNDATION HOLE AND LEAVE FOR 48 HOURS



UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN MILLIMETERS TOLERANCES: LINEAR:           ±2MM 1 DECIMAL PLACE: ±0.5MM ANGULAR:         ±1°	PROPRIETARY AND CONFIDENTIAL	Title: PRO-500-141	
	THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF FENLAND LEISURE PRODUCTS. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF FENLAND LEISURE PRODUCTS IS PROHIBITED.	Product Range: Fencing	
	DO NOT SCALE FROM DRAWING		Date:  13/01/2020
			Page:  A3
			Tel: 01354 638359    Fax: 01354 638464    www.fenandleisure.co.uk