




PARTS LIST				
ITEM	QTY	PART NUMBER	STOCK NUMBER	DESCRIPTION
1	1	TB-200-658	COMTIMSAW0022	1.2M Fence Post 1650x95x95
2	2	TB-200-657	COMTIMSAW0046	Fence Rail 2095x95x33 (2M Post Centres)
3	11	TB-200-659	COMTIMSAW0042	1.2M Fence Pale 1100x20x95mm
4	40		COMA2WS4X40	M4x40 Torx Woodscrew A2 Stainless Steel
5	4		COMA2WS4X70	M4x70 Torx Woodscrew A2 Stainless Steel
6	1			0.012 ³ Concrete Foundation 200 x 200 x 300




UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN MILLIMETERS TOLERANCES: LINEAR: ±2MM 1 DECIMAL PLACE: ±0.5MM ANGULAR: ±1°	PROPRIETARY AND CONFIDENTIAL THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF FENLAND LEISURE PRODUCTS. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF FENLAND LEISURE PRODUCTS IS PROHIBITED.	Title:	
--	--	--------	--





ALL FOUNDATIONS 200 X 200 X 300 DEEP UNLESS OTHERWISE SPECIFIED

<p>UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN MILLIMETERS TOLERANCES: LINEAR: ±2MM 1 DECIMAL PLACE: ±0.5MM ANGULAR: ±1°</p>		<p>PROPRIETARY AND CONFIDENTIAL</p> <p>THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF FENLAND LEISURE PRODUCTS. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF FENLAND LEISURE PRODUCTS IS PROHIBITED.</p>		<p>Title: PRO-500-142</p>		
<div><p>imagination comes to life</p><p>fenland leisure products</p></div>				<p>Product Range: Fencing</p>		
				<p>DO NOT SCALE FROM DRAWING</p> <p>Tel: 01354 638359 Fax: 01354 638464 www.fenandleisure.co.uk</p>		
						<p>Date: 13/01/2020</p>
						<p>Page: A3</p>

1. POSITION THE POSTS IN THE FOUNDATION HOLES AS ILLUSTRATED BELOW. ONE POST IS INCLUDED IN EACH PANEL. EACH PANEL WILL CONNECT TO THE NEXT. WHEN INSTALLING AN END PANEL THE POST WILL BE FROM THE INCLUDED MODULE.
3. WITH THE FENCE PANEL CORRECTLY PLACED SECURE THE PANEL USING THE POST PALES AND FIXINGS PROVIDED. ENSURE THAT THE POSTS STAY IN POSITION WHILE THE PANEL IS BEING SECURED.





2. USING THE RAIL WEDGE BLOCKS AS SUPPORT MOVE THE FENCE PANEL INTO POSITION, ENSURE THE END OF THE RAIL IS FLUSH WITH BOTH ENDS OF THE POST.



UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN MILLIMETERS TOLERANCES: LINEAR: ±2MM 1 DECIMAL PLACE: ±0.5MM ANGULAR: ±1°	PROPRIETARY AND CONFIDENTIAL THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF FENLAND LEISURE PRODUCTS. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF FENLAND LEISURE PRODUCTS IS PROHIBITED.	Title: PRO-500-142	
		Product Range: Fencing	
		Date: 13/01/2020	
		Page: A3	
		DO NOT SCALE FROM DRAWING	
		Tel: 01354 638359 Fax: 01354 638464 www.fenandleisure.co.uk	

4. FINALLY, ENSURE UNIT IS LEVEL AND PLUMB, ALL FIXINGS HAVE BEEN TIGHTENED AND PROTECTIVE CAPS IN PLACE. ADD CONCRETE TO EACH FOUNDATION HOLE AND LEAVE FOR 48 HOURS



<div>UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN MILLIMETERS</div> <div>TOLERANCES: LINEAR: ±2MM 1 DECIMAL PLACE: ±0.5MM ANGULAR: ±1°</div>	<div>PROPRIETARY AND CONFIDENTIAL</div> <div>THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF FENLAND LEISURE PRODUCTS. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF FENLAND LEISURE PRODUCTS IS PROHIBITED.</div>	Title: PRO-500-142	
		Product Range: Fencing	
		DO NOT SCALE FROM DRAWING	Date: 13/01/2020
			Page: A3
<div></div>		Tel: 01354 638359 Fax: 01354 638464 www.fenandleisure.co.uk	