


PARTS LIST				
ITEM	QTY	PART NUMBER	STOCK NUMBER	DESCRIPTION
1	4	TB-200-603	COMTIMSAF0002	3000mm x 112mm x 112mm Safalog
2	4	TB-200-607	COMTIMSAW0017	38x125mm PAR TIMBER
3	2	PE-400-088	COMPOL0040	HDPE GREEN/BEIGE/GREEN 19MM
4	1	MOD-600-078		
5	12		COMA2WS6X80	M6 X 80 TORX WOODSCREW
6	20		COMA2WH8X80	M8 X 80 TORX WASHER HEAD
7	20		COMPLACAP0028	2 PART CAP (BLACK)





UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN MILLIMETERS TOLERANCES:	PROPRIETARY AND CONFIDENTIAL THE INFORMATION CONTAINED IN THIS	Title:
LINEAR: ±2MM 1 DECIMAL PLACE: ±0.5MM	DRAWING IS THE SOLE PROPERTY OF FENLAND LEISURE PRODUCTS. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION	Product F
ANGULAR: ±1°	OF FENLAND LEISURE PRODUCTS IS PROHIBITED.	<0.6
imagination comes to life fenland leisure products		
fenland leisu	ire products	Tel

PRO-500-101 Play House	
ct Range: Playground Units	D-1
.6M FFH	Date: 03/09/2019
	Page:
DO NOT SCALE FROM DRAWING	A3
Tel: 01354 638359 Fax: 01354 638464 www.fenlandleisure.c	o.uk




PRO-500-101 Play House

Playground Units

r layground office	
	Date:
	03/09/2019
	Page:
DO NOT SCALE FROM DRAWING	A3

Tel: 01354 638359 Fax: 01354 638464 www.fenlandleisure.co.uk




ALL FOUNDATIONS 300 X 300 X 300 DEEP UNLESS OTHERWISE SPECIFIED

PRO-500-101 Play House


Plavaround Units

r layground office	
	Date:
	03/09/2019
	Page:
DO NOT SCALE FROM DRAWING	A3


Tel: 01354 638359 Fax: 01354 638464 www.fenlandleisure.co.uk




3. REPEAT STEPS ONE AND TWO TO CREATE THE SECOND HALF OF THE FRAME. AS ILLUSTRATED BELOW.



UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN MILLIMETERS TOLERANCES: LINEAR: ±2MM 1 DECIMAL PLACE: ±0.5MM ANGULAR: ±1°	PROPRIETARY AND CONFIDENTIAL THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF FENLAND LEISURE PRODUCTS. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF FENLAND LEISURE PRODUCTS IS PROHIBITED.	Title: Product
	P omes to life	
tenland leisi	ure products	–



7. ENSURE THE UNIT IS LEVEL AND PLUMB, ALL FIXINGS HAVE BEEN TIGHTENED AND PROTECTIVE CAPS ARE IN PLACE. ADD CONCRETE TO EACH FOUNDATION HOLE AND LEAVE FOR 48 HOURS. ONCE THE CONCRETE HAS BEEN ADDED LEAVE FOR 48 HOURS.



UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN MILLIMETERS TOLERANCES: LINEAR: ±2MM 1 DECIMAL PLACE: ±0.5MM ANGULAR: ±1°	PROPRIETARY AND CONFIDENTIAL THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF FENLAND LEISURE PRODUCTS. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF FENLAND LEISURE PRODUCTS IS PROHIBITED.	Title: Product
	P primes to life	