

1

2

3

4

5

6

7

8

9

10

1

4

8

8

4

8

8

8

2

COMA2NNM10

COMPLACAP0028

400 x 200 x 200

M10 NYLOC NUT (DIN 985)

0.016 CONCRETE FOUNDATION

TWO PART CAP

online playgrounds Date:


Page:


DO NOT SCALE FROM DRAWING

Tel: 01354 638359 www.onlineplaygrounds.co.uk

04/05/2021

А3





UNLESS OTHERWISE SPECIFIED:
DIMENSIONS ARE IN MILLIMETERS
TOLERANCES:
LINEAR: ±2MM
1 DECIMAL PLACE: ±0.5MM
ANGULAR: ±1°

PROPRIETARY AND CONFIDENTIAL

THE INFORMATION CONTAINED IN THIS
DRAWING IS THE SOLE PROPERTY OF
FENLAND LEISURE PRODUCTS. ANY
REPRODUCTION IN PART OR AS A WHOLE
WITHOUT THE WRITTEN PERMISSION
OF FENLAND
LEISURE PRODUCTS IS PROHIBITED.

OP-160 online playgrounds

Product Range: Playaround Equipment

ITED.

Playground Equipment

DO NOT SCALE FROM DRAWING

A3

Date:

04/05/2021

Tel: 01354 638359 www.onlineplaygrounds.co.uk

1. SECURE THE POST FEET TO THE SLEEPER LEGS USING THE FIXING PROVIDED AS ILLUSTRATED BELOW.


2

9
7
8
5

4

9
7
8
9

2. SECURE THE SLEEPER LEGS TO THE BENCH TOP UING THE FIXINGS PROVIDED AS ILLUSTRATED BELOW.



3. WITH THE LEGS SECURED TO THE BENCH TOP, PLACE THE BENCH INTO THE FOUNDATION HOLES.

4. FINALLY, ENSURE UNIT IS LEVEL AND PLUMB, ALL FIXINGS HAVE BEEN TIGHTENED AND ANY PROTECTIVE CAPS NEEDED ARE IN PLACE. ADD CONCRETE TO EACH FOUNDATION HOLE AND LEAVE FOR 48 HOURS.

