

			3.576.767						
			PARTS LIST						
ITEM	QTY	PART NUMBER	DESCRIPTION	STOCK NUMBER					
1	3	TB-200-595	2900 x 125 Safalog	COMTIMSAF0001					
2	3	TB-200-596	2900 x 125 Safalog	COMTIMSAF0001					
3	1	TB-200-853	2 X 5500MM X 125MM SAFALOG (BONDED)	COMTIMSAF0001					
4	6	MOD-600-121 GROUND FOOT (125)		SUBSTEMIS0006					
5		SWC4 FLAT	SWING CHAIN	SUBSWISTR0001					
6		SWC4 CRADLE	SWING CHAIN	COMSWISTRA0006					
7		SW29 SWING FITTING	UNIVERSAL SWING FITTING	SUBSW29					
8		FLAT SWING SEAT	LARGE SWING SEAT	COMSWISEA0001					
9		CRADLE SWING SEAT	SW22 CRADLE SEAT	COMSWISEA0004					
10		M12 X 180 COACH SCREW	M12 X 180 COACH SCREW	COMA2CSM12X180					
11		M12 X 240 COACH BOLT	M12 x 240 (DIN 603)	COMA2CBM12X240 COMA2FWM12					
12		M12 WASHER M12 NYLOC NUT	M12 WASHER (DIN 125) M12 NYLOC NUT (DIN 985)	COMA2NNM12					
13		30MM BOLT COVER	30MM BLACK CAP	COMPLACAPOO01	**				
15		38MM BOLT COVER	38MM CAP	COMPLACAPOO16					
16		400 x 800 x 400	0.128M³ CONCRETE FOUNDATION	COM EACH 0010		/// \ \ \			
2450,00	2350,00		600						
		NIW Z			UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN MILLIMETERS TOLERANCES:	PROPRIETARY AND CONFIDENTIAL THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF FENLAND LEISURE PRODUCTS. ANY REPRODUCTION IN PART OR AS A WHOLE	PRO-500-198 DOUBLE BAY TODDLER & JUNIOR SEAT SWING		
					LINEAR: ±2MM 1 DECIMAL PLACE: ±0.5MM		Product Range: PI	LAYGROUND EQUIPMENT	
		407	SURFACE LEVEL		ANGULAR: ±1°	WITHOUT THE WRITTEN PERMISSION OF FENLAND LEISURE PRODUCTS IS PROHIBITED.	<1.5M FFH		Date:
			/ / / / / / / / / / / / / / / / / / / /	X\		ELISONE PRODUCTS IS PROPIDITED.	71011111		01/04/2021
						нΩ			Page: 1
									1
						online playgrounds		ALE FROM DRAWING	А3
								Tel: 01354 638359 www.onlineplaygrounds.co.uk	
							i e		





UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN MILLIMETERS TOLERANCES:

LINEAR: ±2MM
1 DECIMAL PLACE: ±0.5MM
ANGULAR: ±1°

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF FENLAND LEISURE PRODUCTS. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF FENLAND LEISURE PRODUCTS IS PROHIBITED.



PRO-500-198 DOUBLE BAY TODDLER & JUNIOR SEAT SWING

Product Range: PLAYGROUND EQUIPMENT

Date: 01/04/2021 Page: 3


DO NOT SCALE FROM DRAWING

Tel: 01354 638359 www.onlineplaygrounds.co.uk


ALL FOUNDATIONS 400 X 800 X 500 DEEP UNLESS OTHERWISE SPECIFIED

1. CREATE THE TWO SWING A-FRAMES USING THE SUPPLIED FIXINGS AS ILLUSTRATED BELOW.


NOTE: TO REDUCE THE RISK OF STEEL GALLING, USE LUBRICANT ON ALL STAINLESS STEEL FIXINGS



2. POSITION THE A-FRAMES INTO THE FOUNDATION HOLES AND BRACE. (TAKE NOTE OF THE POSITION OF THE POSTS AS SHOWN IN FIG 1) POSITION THE TOP BAR ONTO THE A-FRAMES AND SECURE IN PLACE.



3. AS ILLUSTRATED, SECURE THE SWING HANGER TO THE UNDERSIDE OF THE TOP BAR NOTE: ENSURE THE SEAT SITS A MINIMUM OF 400MM FROM FINISHED SURFACE LEVEL TO UNDERSIDE OF THE SWING SEATS.



4. FINALLY, ENSURE UNIT IS LEVEL AND PLUMB, ALL FIXINGS HAVE BEEN TIGHTENED AND PROTECTIVE CAPS IN PLACE. ADD CONCRETE TO EACH FOUNDATION HOLE AND LEAVE FOR 48 HOURS

