
PARTS LIST					
ITEM	QTY	PART NUMBER	DESCRIPTION	STOCK NUMBER	
1	3	TB-200-348	2150mm x 125mm SAFALOG	COMTIMSAF0001	
2	2	ТВ-200-517_В	1700MM X 125MM (POST INSERT)	COMTIMSAF0001	
3	2	TB-200-518_B	310MM X 125MM (POST INSERT)	COMTIMSAF0001	
4	1	ТВ-200-519_В	1200MM X 125MM (POST INSERT)	COMTIMSAF0001	
5	1	MOD-600-010 - LINK DUAL ROPE	LINK DUAL ROPE		
6	3	MOD-600-121 GROUND FOOT (125)	GROUND FOOT (125)	SUBSTEMIS0006	
7	2	ART. 1500 1000 GROUND POST	GROUND SHOE	COMSTEMIS0020	
8	2	M12 X 90 COACH BOLT	M12 X 90 (DIN 603)	COMA2CBM12X90	
9	6	M12 X 240 COACH BOLT	M12 x 240 (DIN 603)	COMA2CBM12X240	
10	8	M12 WASHER	M12 WASHER (DIN 125)	COMA2FWM12	
11	8	M12 NYLOC NUT	M12 NYLOC NUT (DIN 985)	COMA2NNM12	
12	8	30MM BOLT COVER	30MM BLACK CAP	COMPLACAP0001	
13	2	300 x 300 x 400	0.036M ³ CONCRETE FOUNDATION		
14	3	400 x 400 x 500	0.08 ³ CONCRETE FOUNDATION		




PRO-500-107 BALANCE COMBO (A13)_SF	
PRO-500-107 BALANCE COMBO (A13)_SF	
PRO-500-107 BALANCE COMBO (A13)_SF luct Range: FITNESS TRAIL	Date:
PRO-500-107 BALANCE COMBO (A13)_SF luct Range: FITNESS TRAIL	Date: 04/10/2021
PRO-500-107 BALANCE COMBO (A13)_SF luct Range: FITNESS TRAIL	04/10/2021


5

2

3


〔1






PRO-500-107 BALANCE COMBO (AT3)_SF

Range:	FITNESS TRAIL	
		Date:
		04/10/202
		Page:
DO NO	T SCALE FROM DRAWING	A3



- 3. WITH THE TIMBERS CONNECTED AND BRACED, SECURE THE ROPE BETWEEN THE **TWO UPRIGHTS**
- 4. FINALLY, ENSURE ALL FIXINGS HAVE BEEN TIGHTENED AND PROTECTIVE CAPS IN PLACE. ADD CONCRETE TO EACH FOUNDATION HOLE AND LEAVE FOR 48 HOURS



Tel: 01354 638359 www.onlineplaygrounds.co.uk