






PARTS LIST				
ITEM	QTY	PART NUMBER	DESCRIPTION	STOCK NUMBER
1	12	TYRE	TYRE	COMTYR0005
2	46	90 X 45 SS PLATE	90MM X 45MM PLATE	COMSTEBRA108
3	6	MT-300-095	670 X 40 X 40 (SUPPORT POST)	
4	24	M10 X 40 BUTTON HEAD	M10 X 40 (ISO 7380)	COMA2BHMSM10X40
5	52	M10 WASHER	M10 WASHER (DIN 125)	COMA2FWM10
6	26	M10 NYLOC NUT	M10 NYLOC NUT (DIN 985)	COMA2NNM10
7	6	38MM SQUARE INSERT CAP	38MM SQUARE INSERT CAP	COMPLASCAP0026
8	26	2 PART CAP (BLACK)	TWO PART CAP	COMPLACAP0028
9	6	300 x 300 x 400	0.036M³ CONCRETE FOUNDATION	

FITNESS INDICATOR SIGN			
ITEM	QTY	PART NUMBER	DESCRIPTION
1	1	TB-200-399_B	1100 x 112mm (FC281650P)
2	1	PE-400-035	INDICATOR SIGN
4	4	M3 X 25 POZI PAN SCREW	25MM POZI PAN SCREW
5	1	300 x 300 x 400	0.036M³ CONCRETE FOUNDATION
3	1	MOD-600-116 GROUND FOOT	GROUND FOOT (112)




NOTES:
STEELWORK: EXPORT - ALUMINIUM
 U.K - STAINLESS STEEL
INDICATOR SIGN: EXPORT - COMSIGSIG0042
 U.K - COMSIGSIG0032

UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN MILLIMETERS TOLERANCES: LINEAR: ±2MM 1 DECIMAL PLACE: ±0.5MM ANGULAR: ±1°	PROPRIETARY AND CONFIDENTIAL	Title: PRO-500-182 TYRE STEP (FC35)	
	THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF FENLAND LEISURE PRODUCTS. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF FENLAND LEISURE PRODUCTS IS PROHIBITED.	Product Range: FITNESS TRAIL	
		<0.3M FFH	Date: 05/10/2020
			Page:
			A3
			DO NOT SCALE FROM DRAWING
		Tel: 01354 638359 www.onlineplaygrounds.co.uk	




<p>UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN MILLIMETERS TOLERANCES:</p> <p>LINEAR: ±2MM 1 DECIMAL PLACE: ±0.5MM ANGULAR: ±1°</p>	<p>PROPRIETARY AND CONFIDENTIAL</p> <p>THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF FENLAND LEISURE PRODUCTS. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF FENLAND LEISURE PRODUCTS IS PROHIBITED.</p>	Title:	
---	---	--------	--



ALL FOUNDATIONS 300 X 300 UNLESS OTHERWISE SPECIFIED

<p>UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN MILLIMETERS TOLERANCES:</p> <p>LINEAR: ±2MM 1 DECIMAL PLACE: ±0.5MM ANGULAR: ±1°</p>	<p>PROPRIETARY AND CONFIDENTIAL</p> <p>THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF FENLAND LEISURE PRODUCTS. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF FENLAND LEISURE PRODUCTS IS PROHIBITED.</p>	<p>Title:</p> <p>PRO-500-182 TYRE STEP (FC35)</p>	
		<p>Product Range:</p> <p>FITNESS TRAIL</p>	
			
			<p>Page:</p>
		<p>DO NOT SCALE FROM DRAWING</p>	<p>A3</p>
		<p>Tel: 01354 638359 www.onlineplaygrounds.co.uk</p>	


1. AS SHOWN BELOW, CONNECT THE TYRES TOGETHER USING THE SUPPLIED FIXINGS.




INSTALLATION

2. DUE TO THE VARYING SIZE OF TYRES USED THE PREVIOUS PAGE IS ONLY TO BE USED AS A GUIDE.


WITH ALL THE TYRES CONNECTED, LAY THE TYRES INTO THE DESIRED POSITION. AS ILLUSTRATED BELOW, MARK THE POSITION OF THE TWO ENDS AND THE MIDDLE TYRE. REMOVE THE TYRES AND DIG THE FOUNDATION HOLES.



3. WITH THE FOUNDATIONS READY, SECURE THE TYRES TO THE SUPPORTING POSTS, AND POSITION THE POSTS INTO THE FOUNDATION HOLES.



4. FINALLY, ENSURE THE UNIT IS LEVEL AND PLUMB. ALL FIXINGS HAVE BEEN TIGHTENED AND PROTECTIVE CAPS IN PLACE. ADD CONCRETE TO EACH FOUNDATION HOLE AND LEAVE FOR 48 HOURS.



<div>UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN MILLIMETERS TOLERANCES: LINEAR: ±2MM 1 DECIMAL PLACE: ±0.5MM ANGULAR: ±1°</div> <div>PROPRIETARY AND CONFIDENTIAL THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF FENLAND LEISURE PRODUCTS. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF FENLAND LEISURE PRODUCTS IS PROHIBITED.</div> <div>OLPonline playgrounds</div>	Title: PRO-500-182 TYRE STEP (FC35)		Date:
	Product Range: FITNESS TRAIL		05/10/2020
	DO NOT SCALE FROM DRAWING		Page:
	Tel: 01354 638359 www.onlineplaygrounds.co.uk		A3