
PARTS LIST				
ITEM	QTY	PART NUMBER	DESCRIPTION	STOCK NUMBER
1	2	ТВ-200-327_В	3200MM X 125MM (POST FOOT)	COMTIMSAF0001
2	1	TB-200-619	3000mm x 125mm SAFALOG	COMTIMSAF0001
3	2	RS-100-039	36MM POLYHEMP ROPE	
4	2	MT-300-006	POST FOOT	
5	4	M12 X 160 COACH BOLT	M12 X 160 (DIN 603)	COMA2CBM12X160
6	2	M12 X 220 COACH BOLT	M12 X 220 (DIN 603)	COMA2CBM12X220
7	6	M12 NYLOC NUT	M12 NYLOC NUT (DIN 985)	COMA2NNM12
8	6	M12 WASHER	M12 WASHER (DIN 125)	COMA2FWM12
9	2	M16 NYLOC NUT	M16 NYLOC NUT (DIN 985)	COMA2NNM16
10	2	M16 WASHER	M16 WASHER (DIN 125)	COMA2FWM16
11	2	30MM BOLT COVER	30MM BLACK CAP	COMPLACAP0001
12	2	45MM BOLT COVER	45MM CAP	COMPLACAP0017
13	4	2 PART CAP (BLACK)	TWO PART CAP	COMPLACAP0028
14	2	400 x 400 x 700	0.112 <sup>3</sup> CONCRETE FOUNDATION	
15	2	200 x 200 x 400	0.016 <sup>3</sup> CONCRETE FOUNDATION	
INDICATOR SIGN				


	INDICATOR SIGN			
ITEM	QTY	PART NUMBER	DESCRIPTION	STOCK NUMBER
2	1	PE-400-035	INDICATOR SIGN	COMSIGSIG0032
4	4	M3 X 25 POZI PAN SCREW	25MM POZI PAN SCREW	COMHARSTA0009






**1** 

PRO-500-130 ROPE CLIMB (FC3)	
uct Range: FITNESS TRAIL	
2.0M FFH	Date:
	23/09/2019
	Page:
DO NOT SCALE FROM DRAWING	A3
Tel: 01354 638359 www.onlineplaygrounds.co.uk	





200 X 200 X 500 DEEP


DIM	NLESS OTHERWISE SPECIFIED: MENSIONS ARE IN MILLIMETERS DLERANCES:	PROPRIETARY AND CONFIDENTIAL THE INFORMATION CONTAINED IN THIS	Title:
	LINEAR: ±2MM 1 DECIMAL PLACE: ±0.5MM ANGULAR: ±1°	DRAWING IS THE SOLE PROPERTY OF FENLAND LEISURE PRODUCTS. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION	Product F
	ANGULAR. II	OF FENLAND LEISURE PRODUCTS IS PROHIBITED.	
	online playgrounds		
			Tel

ALL FOUNDATIONS 400 X 400 X 800 DEEP UNLESS OTHERWISE SPECIFIED 1000 DEEP FOR SAND OR BARK

	PRO-5	500-130 ROPE CLIMB (FC3)	
ct Range:		FITNESS TRAIL	
			Date:
			23/09/2019
			Page:
	DO NOT	SCALE FROM DRAWING	A3
Fel: 01354	638359	www.onlineplaygrounds.co.uk	

## (700 DEEP FOR SAND OR BARK)






3. FINALLY, ENSURE THE UNIT IS LEVEL AND PLUMB, ALL FIXINGS HAVE BEEN TIGHTENED AND PROTECTIVE CAPS IN PLACE. ADD CONCRETE TO EACH FOUNDATION HOLE AND LEAVE FOR 48 HOURS

FINISHED SURFACE LEVEL

UNLESS OTHERWISE SPECIFIED:	PROPRIETARY AND CONFIDENTIAL	Title:
DIMENSIONS ARE IN MILLIMETERS TOLERANCES:	THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF FENLAND LEISURE PRODUCTS. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION	Product Ra
LINEAR: ±2MM 1 DECIMAL PLACE: ±0.5MM ANGULAR: ±1°		r touuce ita
ANGULAR: ±1°	OF FENLAND LEISURE PRODUCTS IS PROHIBITED.	
online pla	P-110 ygrounds	
		Tel:



Tel: 01354 638359 www.onlineplaygrounds.co.uk