

PARTS LIST				
ITEM	QTY	PART NUMBER	DESCRIPTION	STOCK NUMBER
1	2	TB-200-1185	1100MM X 125MM	COMTIMSAF0001
2	2	TB-200-1186	1350MM X 125MM	COMTIMSAF0001
3	4	MT-300-006	POST FOOT	
4	3	MT-300-078	960 X 33.7 DIA SS C.H.S	
5	6	M8 X 80 TORX WASHER HEAD	80MM WASHER SCREW	COMA2WH8X80
6	8	M12 X 160 COACH BOLT	M12 X 160 (DIN 603)	COMA2CBM12X160
7	8	M12 WASHER	M12 WASHER (DIN 125)	COMA2FWM12
8	8	M12 NYLOC NUT	M12 NYLOC NUT (DIN 985)	COMA2NNM12
9	8	2 PART CAP (BLACK)	TWO PART CAP	COMPLACAP0028
10	6	30MM BOLT COVER	30MM BLACK CAP	COMPLACAP0001
11	6	34MM BOLT COVER	34MM CAP	COMPLACAP0003
12	4	300 x 300 x 500	0.045M3 CONCRETE FOUNDATION	





UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN MILLIMETERS TOLERANCES:

LINEAR: ±2MM
1 DECIMAL PLACE: ±0.5MM
ANGULAR: ±1°

PROPRIETARY AND CONFIDENTIAL

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF FENLAND LEISURE PRODUCTS. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF FENLAND LEISURE PRODUCTS IS PROHIBITED.

OP-160 online playgrounds

Title:	
	PRO-500-258 ROLL OVER BARS

Product Range: FITNESS TRAIL


1.3M FFH


17/10/2022 Page: А3

DO NOT SCALE FROM DRAWING

Date:

Tel: 01354 638359 www.onlineplaygrounds.co.uk





UNLESS OTHERWISE SPECIFIED:
DIMENSIONS ARE IN MILLIMETERS
TOLERANCES:

LINEAR: ±2MM 1 DECIMAL PLACE: ±0.5MM ANGULAR: ±1° PROPRIETARY AND CONFIDENTIAL

THE INFORMATION CONTAINED IN THIS
DRAWING IS THE SOLE PROPERTY OF
FENLAND LEISURE PRODUCTS. ANY
REPRODUCTION IN PART OR AS A WHOLE
WITHOUT THE WRITTEN PERMISSION
OF FENLAND
LEISURE PRODUCTS IS PROHIBITED.

PRO-500-258 ROLL OVER BARS

Product Range: FITNESS TRAIL

DO NOT SCALE FROM DRAWING

Tel: 01354 638359 www.onlineplaygrounds.co.uk


17/10/2022 Page:

Date:


А3

online playgrounds


1. POSITION THE UPRIGHT POSTS INTO THE FOUNDATION HOLES AND BRACE. PUSH THE PULL UP BAR (ITEM 4) THROUGH THE BORED HOLES CONNECTING THE TIMBERS TOGETHER.



2. WITH THE TIMBERS CONNECTED AND BRACED, SECURE IN PLACE USING THE SUPPLIED FIXINGS AS ILLUSTRATED BELOW.



3. FINALLY, ENSURE ALL FIXINGS HAVE BEEN TIGHTENED AND PROTECTIVE CAPS IN PLACE. ADD CONCRETE TO EACH FOUNDATION HOLE AND LEAVE FOR 48 HOURS



UNLESS OTHERWISE SPECIFIED:
DIMENSIONS ARE IN MILLIMETERS
TOLERANCES:
LINEAR: ±2MM
1 DECIMAL PLACE: ±0.5MM
ANGULAR: ±1°

PROPRIETARY AND CONFIDENTIAL
THE INFORMATION CONTAINED IN TH

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF FENLAND LEISURE PRODUCTS. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF FENLAND LEISURE PRODUCTS IS PROHIBITED.

Title: PRO-500-258 ROLL OVER BARS

Product Range: FITNESS TRAIL



Date: 17/10/2022 Page:

А3

DO NOT SCALE FROM DRAWING

Tel: 01354 638359 www.onlineplaygrounds.co.uk