





PARTS LIST				
ITEM	QTY	PART NUMBER	DESCRIPTION	STOCK NUMBER
1	2	TB-200-049_B	1850 X 112MM (POST INSERT)	COMTIMSAF0002
2	3	TB-200-079	1195 X 90 X 38	COMTIMSAW0007
3	1	PE-400-155	INDICATOR SIGNAGE (1220 X 915)	COMSIGSIG0003
4	2	MOD-600-116 GROUND FOOT	GROUND FOOT (112)	SUBSTEMIS0004
5	9	M3 X 25 POZI PAN SCREW	25MM POZI PAN SCREW	COMHARSTA0009
6	6	M8 X 100 TORX WASHER HEAD	100MM WASHER HEAD	COMA2WH8X100
7	2	300 x 300 x 500	0.045M <sup>3</sup> CONCRETE FOUNDATION	



UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN MILLIMETERS TOLERANCES: LINEAR: ±2MM 1 DECIMAL PLACE: ±0.5MM ANGULAR: ±1°	PROPRIETARY AND CONFIDENTIAL  THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF FENLAND LEISURE PRODUCTS. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF FENLAND LEISURE PRODUCTS IS PROHIBITED.	Title: PRO-500-236 FITNESS INDICATOR SIGN (FC29)		
		Product Range: FITNESS TRAIL		
			Date:  16/08/2021	
			Page: 1	
		DO NOT SCALE FROM DRAWING		A3
		Tel: 01354 638359 www.onlineplaygrounds.co.uk		





ALL FOUNDATIONS 300 X 300 X 600 DEEP UNLESS OTHERWISE SPECIFIED


UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN MILLIMETERS TOLERANCES: LINEAR: ±2MM 1 DECIMAL PLACE: ±0.5MM ANGULAR: ±1°	PROPRIETARY AND CONFIDENTIAL  THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF FENLAND LEISURE PRODUCTS. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF FENLAND LEISURE PRODUCTS IS PROHIBITED.	Title: PRO-500-236 FITNESS INDICATOR SIGN (FC29)	
		Product Range:  FITNESS TRAIL	Date:  16/08/2021
		Page: 2	
		A3	
		DO NOT SCALE FROM DRAWING	
		Tel: 01354 638359    www.onlineplaygrounds.co.uk	

1. POSITION THE UPRIGHT POSTS INTO THE FOUNDATION HOLES AND BRACE ENSURING THE POSTS ARE LEVEL AND PLUMB.

2. AS ILLUSTRATED BELOW, POSITION THE BRACES ONTO THE UPRIGHT POSTS. ENSURE THEY ARE LEVEL AND SECURE IN PLACE. THEN, SECURE THE SIGNAGE TO THE BRACES WITH THE SUPPLIED FIXINGS.



3. FINALLY, ENSURE ALL FIXINGS HAVE BEEN TIGHTENED AND PROTECTIVE CAPS IN PLACE. ADD CONCRETE TO EACH FOUNDATION HOLE AND LEAVE FOR 48 HOURS



UNLESS OTHERWISE SPECIFIED:  
DIMENSIONS ARE IN MILLIMETERS  
TOLERANCES:  
LINEAR:  $\pm 2\text{MM}$   
1 DECIMAL PLACE:  $\pm 0.5\text{MM}$   
ANGULAR:  $\pm 1^\circ$

**PROPRIETARY AND CONFIDENTIAL**  
THE INFORMATION CONTAINED IN THIS  
DRAWING IS THE SOLE PROPERTY OF  
FENLAND LEISURE PRODUCTS. ANY  
REPRODUCTION IN PART OR AS A WHOLE  
WITHOUT THE WRITTEN PERMISSION  
OF FENLAND  
LEISURE PRODUCTS IS PROHIBITED.



Title: **FITNESS INDICATOR SIGN (FC28)**

Product Range: **FITNESS TRAIL**

DO NOT SCALE FROM DRAWING

Tel: 01354 638359 [www.onlineplaygrounds.co.uk](http://www.onlineplaygrounds.co.uk)

Date:  
16/08/2021

Page: 3

A3