





UNLESS OTHERWISE SPECIFIED:
DIMENSIONS ARE IN MILLIMETERS
TOLERANCES:
LINEAR: +2MM

LINEAR: ±2MM 1 DECIMAL PLACE: ±0.5MM ANGULAR: ±1° PROPRIETARY AND CONFIDENTIAL

THE INFORMATION CONTAINED IN THIS
DRAWING IS THE SOLE PROPERTY OF
FENLAND LEISURE PRODUCTS. ANY
REPRODUCTION IN PART OR AS A WHOLE
WITHOUT THE WRITTEN PERMISSION
OF FENLAND
LEISURE PRODUCTS IS PROHIBITED.



MOD-600-020 - TIGHTROPE CROSSING

Product Range: FCO TDAIL

ECO TRAIL

04/07/2017 Page:

Date:

А3

DO NOT SCALE FROM DRAWING

Tel: 01354 638359 www.onlineplaygrounds.co.uk

ALL FOUNDATIONS 300 X 300 X 500 DEEP UNLESS OTHERWISE SPECIFIED

1. USING THE SUPPLIED FIXINGS AS ILLUSTRATED BELOW, SECURE THE LOG STEP TO EACH OF THE UPRIGHT POSTS. 5 6 2. POSITION THE POSTS INTO THE FOUNDATION HOLES AND BRACE. ADD CONCRETE TO EACH FOUNDATION HOLE AND LEAVE FOR 48 HOURS. 1988 1988 1600 800

3. FINALLY, ATTACH THE ROPE ENSURING IT IS TAUT.

CHECK THE UNIT IS LEVEL AND PLUMB, ALL FIXINGS HAVE BEEN TIGHTENED AND PROTECTIVE CAPS IN PLACE.



