





PARTS LIST				
ITEM	QTY	PART NUMBER	DESCRIPTION	STOCK NUMBER
1	1	TB-200-335	825mm x 125mm SAFALOG	COMTIMSAF0001
2	3	TB-200-336	3700mm x 125mm SAFALOG	COMTIMSAF0001
3	1	TB-200-337	950mm x 125mm SAFALOG	COMTIMSAF0001
4	1	TB-200-338	1075mm x 125mm SAFALOG	COMTIMSAF0001
5	1	TB-200-339	1075mm x 125mm SAFALOG	COMTIMSAF0001
6	6	M12 X 220 COACH BOLT	M12 X 220 (DIN 603)	COMA2CBM12X220
7	6	M12 NYLOC NUT	M12 NYLOC NUT (DIN 985)	COMA2NNM12
8	6	M12 WASHER	M12 WASHER (DIN 125)	COMA2FWM12
9	6	30MM BOLT COVER	30MM BLACK CAP	COMPLACAP0001
10	8	GROUND IRON	FOUNDATION GROUND IRON	
11	4	300 x 300 x 400	0.036M³ CONCRETE FOUNDATION	

INDICATOR SIGN			
ITEM	QTY	PART NUMBER	DESCRIPTION
1	1	TB-200-399	1650 x 112mm (FC281650P)
2	1	PE-400-035	COMSIGSIG0032
3	4	M3 X 25 POZI PAN SCREW	COMHARSTA0009
4	1	GROUND IRON	FOUNDATION GROUND IRON
5	1	300 x 300 x 400	0.036M³ CONCRETE FOUNDATION




NOTES:
STEELWORK: EXPORT - ALUMINIUM
U.K - STAINLESS STEEL
INDICATOR SIGN: EXPORT - COMSIGSIG0042
U.K - COMSIGSIG0032

UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN MILLIMETERS TOLERANCES: LINEAR: ±2MM 1 DECIMAL PLACE: ±0.5MM ANGULAR: ±1°	PROPRIETARY AND CONFIDENTIAL THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF FENLAND LEISURE PRODUCTS. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF FENLAND LEISURE PRODUCTS IS PROHIBITED.	Title: PRO-500-050 BALANCE BEAMS (FC16)	
		Product Range: FITNESS TRAIL	
		<0.6M FFH	Date: 01/05/2019
			Page:
			A3
		DO NOT SCALE FROM DRAWING	
		Tel: 01354 638359 www.onlineplaygrounds.co.uk	





WETPOUR AREA = 24.6M²
PERIMETER = 26.3 L/M

MIN SPACE



24 SAFAGRASS TILES (1.5 X 1.0M)


UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN MILLIMETERS TOLERANCES: LINEAR: ±2MM 1 DECIMAL PLACE: ±0.5MM ANGULAR: ±1°	PROPRIETARY AND CONFIDENTIAL THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF FENLAND LEISURE PRODUCTS. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF FENLAND LEISURE PRODUCTS IS PROHIBITED.	Title: PRO-500-050 BALANCE BEAMS (FC16)	
		Product Range: FITNESS TRAIL	
		Date:	01/05/2019
		Page:	
		A3	
		DO NOT SCALE FROM DRAWING	
		Tel: 01354 638359 www.onlineplaygrounds.co.uk	




ALL FOUNDATIONS 300 X 300 X 500 DEEP UNLESS OTHERWISE SPECIFIED

<p>UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN MILLIMETERS TOLERANCES:</p> <p>LINEAR: ±2MM 1 DECIMAL PLACE: ±0.5MM ANGULAR: ±1°</p>	<p>PROPRIETARY AND CONFIDENTIAL</p> <p>THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF FENLAND LEISURE PRODUCTS. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF FENLAND LEISURE PRODUCTS IS PROHIBITED.</p>	<p>Title: PRO-500-050 BALANCE BEAMS (FC16)</p>	
		<p>Product Range: FITNESS TRAIL</p>	
		<p>Date: 01/05/2019</p>	
		<p>Page:</p>	
<p>A3</p>			
		<p>DO NOT SCALE FROM DRAWING</p>	
		<p>Tel: 01354 638359 www.onlineplaygrounds.co.uk</p>	


1. POSITION EACH UPRIGHT POST, AS ILLUSTRATED BELOW, INTO ITS CORRESPONDING FOUNDATION HOLE. ENSURE THE REBATED TIMBERS FLOW IN THE CORRECT DIRECTION.




2. WITH THE POSTS IN THE CORRECT FOUNDATION HOLES, SECURE EACH HORIZONTAL TIMBER USING THE SUPPLIED FIXINGS AS SHOWN BELOW. ENSURE THE UNIT IS PLUMB AND LEVEL



3. FINALLY, ENSURE UNIT IS LEVEL AND PLUMB, ALL FIXINGS HAVE BEEN TIGHTENED AND PROTECTIVE CAPS IN PLACE. ADD CONCRETE TO EACH FOUNDATION HOLE AND LEAVE FOR 48 HOURS



<div>UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN MILLIMETERS TOLERANCES: LINEAR: ±2MM 1 DECIMAL PLACE: ±0.5MM ANGULAR: ±1°</div> <div>PROPRIETARY AND CONFIDENTIAL THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF FENLAND LEISURE PRODUCTS. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF FENLAND LEISURE PRODUCTS IS PROHIBITED.</div> <div></div>	Title: PRO-500-050 BALANCE BEAMS (FC16)	
	Product Range: FITNESS TRAIL	
	DO NOT SCALE FROM DRAWING	Date: 01/05/2019
		Page: A3
Tel: 01354 638359 www.onlineplaygrounds.co.uk		