

	PARTS LIST					
ITEM	QTY	PART NUMBER	DESCRIPTION	STOCK NUMBER		
1	12	TB-200-352	1650mm x 125mm SAFALOG	COMTIMSAF0001		
2	6	MT-300-043	1920 X 31.75 DIA (6063 ALU)			
3	12	M8 X 80 TORX WASHER HEAD	80MM WASHER SCREW	COMA2WH8X80		
4	12	30MM BOLT COVER	30MM BLACK CAP	COMPLACAP0001		
5	12	34MM BOLT COVER	34MM CAP	COMPLACAP0003		
6	24	GROUND IRON	FOUNDATION GROUND IRON			
7	12	300 x 300 x 400	0.036M ³ CONCRETE FOUNDATION			

INDICATOR SIGN					
ITEM	QTY	PART NUMBER	DESCRIPTION		
1	1	TB-200-399	1650 x 112mm (FC281650P)		
2	1	PE-400-035	COMSIGSIG0032		
3	4	M3 X 25 POZI PAN SCREW	COMHARSTA0009		
4	1	GROUND IRON	FOUNDATION GROUND IRON		
5	1	300 x 300 x 400	0.036M ³ CONCRETE FOUNDATION		





NOTES:

STEELWORK: **EXPORT - ALUMINIUM**

U.K - STAINLESS STEEL

INDICATOR SIGN: EXPORT - COMSIGSIG0042

online playgrounds

U.K - COMSIGSIG0032

UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN MILLIMETERS TOLERANCES:

LINEAR: ±2MM 1 DECIMAL PLACE: ±0.5MM ANGULAR: ±1°

PROPRIETARY AND CONFIDENTIAL

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF FENLAND LEISURE PRODUCTS. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF FENLAND LEISURE PRODUCTS IS PROHIBITED.

Froduct Range.				
<0.6 FFH				
50 N				

PRO-500-053 GROUP DIP (GP4)

FITNESS TRAIL


Date: 01/05/2019


DO NOT SCALE FROM DRAWING

Page:

А3

Tel: 01354 638359 www.onlineplaygrounds.co.uk





online playgrounds

±2MM 1 DECIMAL PLACE: ±0.5MM ANGULAR: ±1°

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF FENLAND LEISURE PRODUCTS. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF FENLAND LEISURE PRODUCTS IS PROHIBITED.

PRO-500-053 GROUP DIP (GP4)

Product Range: FITNESS TRAIL

01/05/2019 Page:

Date:


А3


DO NOT SCALE FROM DRAWING

Tel: 01354 638359 www.onlineplaygrounds.co.uk


ALL FOUNDATIONS 300 X 300 X 500 DEEP UNLESS OTHERWISE SPECIFIED 700 DEEP FOR SAND OR BARK PIT

1. POSITION EACH UPRIGHT POST INTO THE FOUNDATIONS HOLES SHOWN ON THE PREVIOUS PAGE. BRACE EACH POST AND ENSURE IT IS LEVEL AND PLUMB. INSERT THE HAND POLES THROUGH THE BORE ON THE TIMBER POSTS AS ILLUSTRATED BELOW, AND SECURE USING THE SUPPLIED FIXING.





2. FINALLY, ENSURE UNIT IS LEVEL AND PLUMB, ALL FIXINGS HAVE BEEN TIGHTENED AND PROTECTIVE CAPS IN PLACE. ADD CONCRETE TO EACH FOUNDATION HOLE AND LEAVE FOR 48 HOURS



UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN MILLIMETERS Title: PROPRIETARY AND CONFIDENTIAL PRO-500-053 GROUP DIP (GP4) THE INFORMATION CONTAINED IN THIS TOLERANCES: DRAWING IS THE SOLE PROPERTY OF Product Range: FENLAND LEISURE PRODUCTS. ANY REPRODUCTION IN PART OR AS A WHOLE FITNESS TRAIL 1 DECIMAL PLACE: ±0.5MM WITHOUT THE WRITTEN PERMISSION ANGULAR: Date: OF FENLAND LEISURE PRODUCTS IS PROHIBITED 01/05/2019 Page: online playgrounds А3 DO NOT SCALE FROM DRAWING Tel: 01354 638359 www.onlineplaygrounds.co.uk