

PARTS LIST				
ITEM	QTY	PART NUMBER	DESCRIPTION	STOCK NUMBER
1	3	TB-200-205	2500mm x 125mm SAFALOG	COMTIMSAF0001
2	2	TB-200-371	4000 X 195 X 45	COMTIMSAW0004
3	2	TB-200-372	4000 X 195 X 45	COMTIMSAW0004
4	2	TB-200-373	4000 X 195 X 45	COMTIMSAW0004
5	1	TB-200-440	4000 x 195 x 45	COMTIMSAW0004
6	1	TB-200-442	4000 x 195 x 45	COMTIMSAW0004
7	1	TB-200-443	4000 x 195 x 45	COMTIMSAW0004
8	54	M8 X 80 TORX WASHER HEAD	80MM WASHER SCREW	COMA2WH8X80
9	54	30MM BOLT COVER	30MM BLACK CAP	COMPLACAP0001
10	3	GROUND IRON	FOUNDATION GROUND IRON	
11	3	400 x 400 x 500	0.083 CONCRETE FOUNDATION	





UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN MILLIMETERS TOLERANCES:

LINEAR: ±2MM
1 DECIMAL PLACE: ±0.5MM
ANGULAR: ±1°

PROPRIETARY AND CONFIDENTIAL

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF FENLAND LEISURE PRODUCTS. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF FENLAND LEISURE PRODUCTS IS PROHIBITED.

OP-TO online playgrounds

Title:	PRO-500-072 TRAVERSE WALL (AT16)
	PRU-DUU-U/2 IRAVERSE WALL (ATTO)

Product Range: FITNESS TRAIL

<0.6M FFH


Date:
02/04/2019


Page:

А3

DO NOT SCALE FROM DRAWING

Tel: 01354 638359 www.onlineplaygrounds.co.uk





UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN MILLIMETERS TOLERANCES:

LINEAR: ±2MM 1 DECIMAL PLACE: ±0.5MM ANGULAR: ±1°

PROPRIETARY AND CONFIDENTIAL

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF FENLAND LEISURE PRODUCTS. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF FENLAND LEISURE PRODUCTS IS PROHIBITED.

PRO-500-072 TRAVERSE WALL (AT16)

Date:

Page:

02/04/2019

А3

Product Range: FITNESS TRAIL


OP-160 online playgrounds

DO NOT SCALE FROM DRAWING


Tel: 01354 638359 www.onlineplaygrounds.co.uk

ALL FOUNDATIONS 400 X 400 X 600 DEEP UNLESS OTHER SPECIFIED

- 1. POSITION EACH UPRIGHT POST INTO THE FOUNDATIONS HOLES SHOWN ON THE PREVIOUS PAGE. BRACE EACH POST AND ENSURE IT IS LEVEL AND PLUMB.
- 2. WITH THE MAIN POSTS IN PLACE, ATTACH THE HORIZONTAL TIMBERS USING THE SUPPLIED FIXINGS AS ILLUSTRATED BELOW.



2. FINALLY, ENSURE UNIT IS LEVEL AND PLUMB, ALL FIXINGS HAVE BEEN TIGHTENED AND PROTECTIVE CAPS IN PLACE. ADD CONCRETE TO EACH FOUNDATION HOLE AND **LEAVE FOR 48 HOURS**



UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN MILLIMETERS TOLERANCES: 1 DECIMAL PLACE: ±0.5MM ANGULAR:

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF FENLAND LEISURE PRODUCTS. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION
OF FENLAND
LEISURE PRODUCTS IS PROHIBITED.

PRO-500-072 TRAVERSE WALL (AT16)

Product Range: FITNESS TRAIL

online playgrounds

02/04/2019 Page:

А3

Tel: 01354 638359 www.onlineplaygrounds.co.uk

DO NOT SCALE FROM DRAWING