





PARTS LIST				
ITEM	QTY	PART NUMBER	DESCRIPTION	STOCK NUMBER
1	1	TB-200-536	2 X 2.4M X 125MM SAFALOG (BONDED)	COMTIMSAF0001
2	2	TB-200-595	2900 x 125 Safalog	COMTIMSAF0001
3	2	TB-200-596	2900 x 125 Safalog	COMTIMSAF0001
4	2	SW29 SWING FITTING	UNIVERSAL SWING FITTING	SUBSW29
5	1	FLAT SWING SEAT	LARGE SWING SEAT	COMSWISEA0001
6	2	SWC4 FLAT	SWING CHAIN	SUBSWISTR0001
7	4	MOD-600-121 GROUND FOOT (125)	GROUND FOOT (125)	SUBSTEMIS0006
8	4	M12 X 180 COACH SCREW	M12 X 180 COACH SCREW	COMSTASCR180
9	2	M12 X 240 COACH BOLT	M12 x 240 (DIN 603)	COMA2CBM12X240
10	4	M10 NYLOC NUT	M10 NYLOC NUT (DIN 985)	COMA2NNM10
11	4	M10 WASHER	M10 WASHER (DIN 125)	COMA2FWM10
12	4	M12 NYLOC NUT	M12 NYLOC NUT (DIN 985)	COMA2NNM12
13	8	M12 WASHER	M12 WASHER (DIN 125)	COMA2FWM12
14	8	30MM BOLT COVER	30MM BLACK CAP	COMPLACAP0001
15	4	400 x 600 x 600	0.144M³ CONCRETE FOUNDATION	




<div>UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN MILLIMETERS TOLERANCES: LINEAR: ±2MM 1 DECIMAL PLACE: ±0.5MM ANGULAR: ±1°</div> <div>PROPRIETARY AND CONFIDENTIAL THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF FENLAND LEISURE PRODUCTS. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF FENLAND LEISURE PRODUCTS IS PROHIBITED.</div> <div> online playgrounds</div>	Title: PRO-500-100 SINGLE SEAT SWING	
	Product Range: PLAYGROUND EQUIPMENT	
	<1.5M FFH	Date: 06/06/2019
		Page: 1
		A3
DO NOT SCALE FROM DRAWING		
Tel: 01354 638359    www.onlineplaygrounds.co.uk		




WETPOUR SURFACING  
AREA = 12.6M<sup>2</sup>  
PERIMETER = 17.9 L/M

LOOSEFILL SURFACING  
AREA = 14.4M<sup>2</sup>  
PERIMETER = 19.9 L/M



10 SAFAGRASS TILES (1.5M X 1.0M)

<p>UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN MILLIMETERS TOLERANCES:</p> <p>LINEAR: ±2MM 1 DECIMAL PLACE: ±0.5MM ANGULAR: ±1°</p>	<p>PROPRIETARY AND CONFIDENTIAL</p> <p>THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF FENLAND LEISURE PRODUCTS. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF FENLAND LEISURE PRODUCTS IS PROHIBITED.</p>	Title: PRO-500-100 SINGLE SEAT SWING	
		Product Range: PLAYGROUND EQUIPMENT	
		Date: 06/06/2019	
		Page: 2	
		DO NOT SCALE FROM DRAWING	
		A3	
		Tel: 01354 638359 www.onlineplaygrounds.co.uk	



UNLESS OTHERWISE SPECIFIED:  
DIMENSIONS ARE IN MILLIMETERS  
TOLERANCES:  
LINEAR:  $\pm 2\text{MM}$   
1 DECIMAL PLACE:  $\pm 0.5\text{MM}$   
ANGULAR:  $\pm 1^\circ$

**PROPRIETARY AND CONFIDENTIAL**  
THE INFORMATION CONTAINED IN THIS  
DRAWING IS THE SOLE PROPERTY OF  
FENLAND LEISURE PRODUCTS. ANY  
REPRODUCTION IN PART OR AS A WHOLE  
WITHOUT THE WRITTEN PERMISSION  
OF FENLAND  
LEISURE PRODUCTS IS PROHIBITED.

Title: **PRO-500-100 SINGLE SEAT SWING**

Product Range: **PLAYGROUND EQUIPMENT**

Date:  
06/06/2019

Page: 3

A3


DO NOT SCALE FROM DRAWING

Tel: 01354 638359 www.onlineplaygrounds.co.uk




ALL FOUNDATIONS 400 X 600 X 700 DEEP UNLESS OTHERWISE SPECIFIED



1. CREATE THE TWO SWING A-FRAMES USING THE SUPPLIED FIXINGS AS ILLUSTRATED BELOW.



2. POSITION THE A-FRAMES INTO THE FOUNDATION HOLES AND BRACE. (TAKE NOTE OF THE POSITION OF THE POSTS AS SHOWN IN FIG 1) POSITION THE TOP BAR ONTO THE A-FRAMES AND SECURE IN PLACE.



3. AS ILLUSTRATED, SECURE THE SWING HANGER TO THE UNDERSIDE OF THE TOP BAR



UNLESS OTHERWISE SPECIFIED:  
DIMENSIONS ARE IN MILLIMETERS  
TOLERANCES:

LINEAR:	±2MM
1 DECIMAL PLACE:	±0.5MM
ANGULAR:	±1°

**PROPRIETARY AND CONFIDENTIAL**

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF FENLAND LEISURE PRODUCTS. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF FENLAND LEISURE PRODUCTS IS PROHIBITED.

Title:	PRO-500-100 SINGLE SEAT SWING
--------	-------------------------------

Product Range:	PLAYGROUND EQUIPMENT
----------------	----------------------

Date:

6/06/2019

Page: 4


43

DO NOT SCALE FROM DRAWING


Tel: 01354 638359 [www.onlineplaygrounds.co.uk](http://www.onlineplaygrounds.co.uk)



4. HANG THE FLAT SEAT SWING ATTACHING THE SWING CHAIN TO THE SWING HANGER. AS SHOWN BELOW, ENSURE THE SEAT SITS A MINIMUM OF 400MM FROM FINISHED SURFACE LEVEL TO UNDERSIDE OF THE FLAT SEAT.



2. FINALLY, ENSURE UNIT IS LEVEL AND PLUMB, ALL FIXINGS HAVE BEEN TIGHTENED AND PROTECTIVE CAPS IN PLACE. ADD CONCRETE TO EACH FOUNDATION HOLE AND LEAVE FOR 48 HOURS



UNLESS OTHERWISE SPECIFIED:  
DIMENSIONS ARE IN MILLIMETERS  
TOLERANCES:  
LINEAR:  $\pm 2\text{MM}$   
1 DECIMAL PLACE:  $\pm 0.5\text{MM}$   
ANGULAR:  $\pm 1^\circ$

**PROPRIETARY AND CONFIDENTIAL**  
THE INFORMATION CONTAINED IN THIS  
DRAWING IS THE SOLE PROPERTY OF  
FENLAND LEISURE PRODUCTS. ANY  
REPRODUCTION IN PART OR AS A WHOLE  
WITHOUT THE WRITTEN PERMISSION  
OF FENLAND  
LEISURE PRODUCTS IS PROHIBITED.



Title: PRO-500-100 SINGLE SEAT SWING

Product Range: PLAYGROUND EQUIPMENT

DO NOT SCALE FROM DRAWING

Tel: 01354 638359 www.onlineplaygrounds.co.uk

Date:  
06/06/2019  
Page: 5  
A3