

PARTS LIST						
ITEM	QTY	PART NUMBER	DESCRIPTION	STOCK NUMBER		
1	2	TB-200-327_B	3200MM X 125MM (POST INSERT)	COMTIMSAF0001		
2	1	TB-200-619	3000mm x 125mm SAFALOG	COMTIMSAF0001		
3	2	RS-100-039	36MM POLYHEMP ROPE			
4	2	MOD-600-121 GROUND FOOT (125)	GROUND FOOT (125)	SUBSTEMIS0006		
5	2	M12 X 220 COACH BOLT	M12 X 220 (DIN 603)	COMA2CBM12X220		
6	2	M12 NYLOC NUT	M12 NYLOC NUT (DIN 985)	COMA2NNM12		
7	2	M12 WASHER	M12 WASHER (DIN 125)	COMA2FWM12		
8	2	M16 NYLOC NUT	M16 NYLOC NUT (DIN 985)	COMA2NNM16		
9	2	M16 WASHER	M16 WASHER (DIN 125)	COMA2FWM16		
10	2	30MM BOLT COVER	30MM BLACK CAP	COMPLACAP0001		
11	2	45MM BOLT COVER	45MM CAP	COMPLACAP0017		
12	2	400 x 400 x 700	0.112 <sup>3</sup> CONCRETE FOUNDATION			
13	2	200 x 200 x 400	0.016 <sup>3</sup> CONCRETE FOUNDATION			

INDICATOR SIGN							
ITEM	QTY	PART NUMBER	DESCRIPTION	STOCK NUMBER			
2	1	PE-400-035	INDICATOR SIGN	COMSIGSIG0032			
3	1	MOD-600-116 GROUND FOOT	GROUND FOOT (112)	SUBSTEMIS0004			
4	4	M3 X 25 POZI PAN SCREW	25MM POZI PAN SCREW	COMHARSTA0009			
5	1	300 x 300 x 400	0.036M³ CONCRETE FOUNDATION				





INDICATOR SIGN: EXPORT - COMSIGSIG0042 U.K - COMSIGSIG0032

online playgrounds

UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN MILLIMETERS TOLERANCES:

LINEAR: ±2MM 1 DECIMAL PLACE: ±0.5MM ANGULAR: ±1°

PROPRIETARY AND CONFIDENTIAL THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF FENLAND LEISURE PRODUCTS. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF FENLAND LEISURE PRODUCTS IS PROHIBITED.

Title: PRO-500-130 ROPE CLIMB (FC3)


Product Range: FITNESS TRAIL


Date: <2.0M FFH 23/09/2019 Page:

А3

DO NOT SCALE FROM DRAWING

Tel: 01354 638359 www.onlineplaygrounds.co.uk





UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN MILLIMETERS TOLERANCES: LINEAR: ±2MM 1 DECIMAL PLACE: ±0.5MM ANGULAR: ±1°

PROPRIETARY AND CONFIDENTIAL

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF FENLAND LEISURE PRODUCTS. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF FENLAND LEISURE PRODUCTS IS PROHIBITED.

Title: PRO-500-130 ROPE CLIMB (FC3)

Product Range: FITNESS TRAIL

online playgrounds 23/09/2019 Page: А3


Date:

Tel: 01354 638359 www.onlineplaygrounds.co.uk

DO NOT SCALE FROM DRAWING


ALL FOUNDATIONS 400 X 400 X 800 DEEP UNLESS OTHERWISE SPECIFIED 1000 DEEP FOR SAND OR BARK

1. POSITION AND BRACE THE UPRIGHT POSTS INTO THE FOUNDATION HOLES. AS SHOWN BELOW, SECURE THE CROSSBEAMS TO THE UPRIGHT POSTS USING THE SUPPLIED COACH BOLTS.




Note: Take extreme care with stainless steel fixings: Use a lubricant/low torque settings before securing with a nyloc nut.

2. WITH THE FRAME ERECTED, SECURE THE ROPES TO THE CROSSBEAM WITH THE LONG CHAIN IN THE FOUNDATION HOLE.



3. FINALLY, ENSURE THE UNIT IS LEVEL AND PLUMB, ALL FIXINGS HAVE BEEN TIGHTENED AND PROTECTIVE CAPS IN PLACE. ADD CONCRETE TO EACH FOUNDATION HOLE AND LEAVE FOR 48 HOURS



UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN MILLIMETERS PRO-500-130 ROPE CLIMB (FC3) THE INFORMATION CONTAINED IN THIS TOLERANCES: DRAWING IS THE SOLE PROPERTY OF Product Range: FENLAND LEISURE PRODUCTS. ANY REPRODUCTION IN PART OR AS A WHOLE FITNESS TRAIL 1 DECIMAL PLACE: ±0.5MM ANGULAR: OF FENLAND LEISURE PRODUCTS IS PROHIBITED 23/09/2019 Page: А3 online playgrounds DO NOT SCALE FROM DRAWING

Tel: 01354 638359 www.onlineplaygrounds.co.uk