





PARTS LIST			
ITEM	QTY	PART NUMBER	DESCRIPTION
1	2	TB-200-354	2800mm x 125mm SAFALOG
2	2	TB-200-732	2500mm x 125mm SAFALOG
3	4	M12 X 220 COACH BOLT	M12 X 220 (DIN 603)
4	4	M12 WASHER	M12 WASHER (DIN 125)
5	4	30MM BOLT COVER	30MM BLACK CAP
6	2	GROUND IRON	FOUNDATION GROUND IRON
7	2	400 x 400 x 600	0.096M³ CONCRETE FOUNDATION

INDICATOR SIGN			
ITEM	QTY	PART NUMBER	DESCRIPTION
1	1	TB-200-399	1650 x 112mm (FC281650P)
2	1	PE-400-035	COMSIGSIG0032
3	4	M3 X 25 POZI PAN SCREW	COMHARSTA0009
4	1	GROUND IRON	FOUNDATION GROUND IRON
5	1	300 x 300 x 400	0.036M³ CONCRETE FOUNDATION



NOTES:  
 STEELWORK: EXPORT - ALUMINIUM  
 U.K - STAINLESS STEEL  
 INDICATOR SIGN: EXPORT - COMSIGSIG0042  
 U.K - COMSIGSIG0032


<div>UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN MILLIMETERS TOLERANCES: LINEAR: ±2MM 1 DECIMAL PLACE: ±0.5MM ANGULAR: ±1°</div> <div></div>	<div>PROPRIETARY AND CONFIDENTIAL</div> <div>THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF FENLAND LEISURE PRODUCTS. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF FENLAND LEISURE PRODUCTS IS PROHIBITED.</div>	Title: PRO-500-176 GATE VAULT (FC34)	
		Product Range: FITNESS TRAIL	
		<1.7M FFH	Date: 28/09/2020
			Page: A3
DO NOT SCALE FROM DRAWING		Tel: 01354 638359    www.onlineplaygrounds.co.uk	




WETPOUR AREA = 18.6M<sup>2</sup>  
PERIMETER = 16.6 L/M

MIN SPACE

16 SAFAGRASS TILES (1.5 X 1.0M)





<p>UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN MILLIMETERS TOLERANCES:</p> <p>LINEAR: ±2MM 1 DECIMAL PLACE: ±0.5MM ANGULAR: ±1°</p>	<p><b>PROPRIETARY AND CONFIDENTIAL</b></p> <p>THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF FENLAND LEISURE PRODUCTS. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF FENLAND LEISURE PRODUCTS IS PROHIBITED.</p>	Title: <b>PRO-500-176 GATE VAULT (FC34)</b>	
		Product Range: <b>FITNESS TRAIL</b>	
		Date: 28/09/2020	
		Page:	
		A3	
		DO NOT SCALE FROM DRAWING	
		Tel: 01354 638359 <a href="http://www.onlineplaygrounds.co.uk">www.onlineplaygrounds.co.uk</a>	




ALL FOUNDATIONS 400 X 400 X 700 DEEP UNLESS OTHERWISE SPECIFIED

<p>UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN MILLIMETERS TOLERANCES:</p> <p>LINEAR:           ±2MM 1 DECIMAL PLACE: ±0.5MM ANGULAR:         ±1°</p>	<p>PROPRIETARY AND CONFIDENTIAL</p> <p>THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF FENLAND LEISURE PRODUCTS. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF FENLAND LEISURE PRODUCTS IS PROHIBITED.</p>	<p>Title:</p> <p>PRO-500-176 GATE VAULT (FC34)</p>	
		<p>Product Range:</p> <p>FITNESS TRAIL</p>	
			<p>Date:</p> <p>28/09/2020</p>
			<p>Page:</p>
			<p>A3</p>
		<p>DO NOT SCALE FROM DRAWING</p>	
		<p>Tel: 01354 638359   www.onlineplaygrounds.co.uk</p>	

1. POSITION THE UPRIGHT POSTS (ITEM 2) INTO THE FOUNDATION HOLES AND PROP TO KEEP VERTICAL. USE RAPID SET CONCRETE TO SECURE ONE POST INTO THE GROUND, ENSURING THE POST IS LEVEL AND PLUMB.
2. WITH ONE POST SET, SECURE THE HORIZONTAL BEAMS (ITEM 1) TO THE VERTICAL TIMBERS (ITEM 2) USING THE SUPPLIED FIXINGS AS ILLUSTRATED BELOW.



3. FINALLY, ENSURE THE UNIT IS LEVEL & PLUMB, ALL FIXINGS HAVE BEEN TIGHTENED AND PROTECTIVE CAPS IN PLACE. ADD CONCRETE TO THE REMAINING FOUNDATION HOLE AND LEAVE FOR 48 HOURS



UNLESS OTHERWISE SPECIFIED:  
DIMENSIONS ARE IN MILLIMETERS  
TOLERANCES:  
LINEAR:  $\pm 2\text{MM}$   
1 DECIMAL PLACE:  $\pm 0.5\text{MM}$   
ANGULAR:  $\pm 1^\circ$

**PROPRIETARY AND CONFIDENTIAL**  
THE INFORMATION CONTAINED IN THIS  
DRAWING IS THE SOLE PROPERTY OF  
FENLAND LEISURE PRODUCTS. ANY  
REPRODUCTION IN PART OR AS A WHOLE  
WITHOUT THE WRITTEN PERMISSION  
OF FENLAND  
LEISURE PRODUCTS IS PROHIBITED.



Title: **PRO-500-063 GATE CLIMB (FC8)**

Product Range: **FITNESS TRAIL**

DO NOT SCALE FROM DRAWING

Tel: 01354 638359 [www.onlineplaygrounds.co.uk](http://www.onlineplaygrounds.co.uk)

Date:  
28/09/2020

Page:  
A3