

			PARTS LIST			
ITEM	OTY		DESCRIPTION	STOCK NUMBER		
1		TB-200-733_B	775MM X 125MM (POST INSERT)	COMTIMSAF0001		
2		TB-200-742	1600 X 90 X 90	COMTIMSAW0022		
3		PE-400-118	445 X 125 ADJUSTABLE HURDLE	COMPOL0032		
4		MOD-600-116 GROUND FOOT	GROUND FOOT	SUBSTEMIS0004		
5		M8 X 80 TORX WASHER HEAD	80MM WASHER SCREW	COMA2WH8X80		
6		300 x 300 x 400	0.036M³ CONCRETE FOUNDATION			
			,		2	
		FITNESS INDICAT				
ITEM	QT		DESCRIPTION			
1	1		00 x 112mm (FC281650P)			
2	1		MSIGSIG0032			
3	1		OUND FOOT			
4	4		MHARSTA0009			
5	1	300 x 300 x 400 0.0	36M³ CONCRETE FOUNDATION		3	
			\			
		1375				
	1				NOTES:	
					STEELWORK: EXPORT - ALUMINIUM	
	ES		4	850	U.K - STAINLESS STEEL	
	VARIES		H	$\infty$	INDICATOR SIGN: EXPORT - COMSIGSIG0042	
	<b>&gt;</b>				U.K - COMSIGSIG0032	
					UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN MILLIMETERS  PROPRIETARY AND CONFIDENTIAL  Title: PRO-500-183 ADJUSTABLE HURDLES (FC24)	
		SURFACE LE	EL SC		TOLERANCES:  THE INFORMATION CONTAINED IN THIS  DRAWING IS THE SOLE PROPERTY OF  DRAWING IS THE SOLE PROPERTY OF	
			/		1 DECIMAL PLACE: ±0.5MM REPRODUCTION IN PART OR AS A WHOLE  ANGLILAR: +1° WITHOUT THE WRITTEN PERMISSION	
					ANGULAR. 11 WINTERPROPRIETED. CO.8 FFH  ANGULAR. Date:	
					03/03/202	
					Page:	
			300		Page:	
			<del></del>		online playgrounds  DO NOT SCALE FROM DRAWING  A3	
		_	<u> </u>		Tel: 01354 638359 www.onlineplaygrounds.co.uk	





UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN MILLIMETERS TOLERANCES:

LINEAR: ±2MM 1 DECIMAL PLACE: ±0.5MM ANGULAR: ±1°

PROPRIETARY AND CONFIDENTIAL

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF FENLAND LEISURE PRODUCTS. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF FENLAND LEISURE PRODUCTS IS PROHIBITED.

PRO-500-183 ADJUSTABLE HURDLES (FC24)

Date:

Page:

03/03/2021

А3

Product Range: FITNESS TRAIL


online playgrounds

DO NOT SCALE FROM DRAWING


Tel: 01354 638359 www.onlineplaygrounds.co.uk

ALL FOUNDATIONS 300 X 300 X 500 DEEP UNLESS OTHERWISE SPECIFIED


1. AS SHOW BELOW, POSITION THE TWO UPRIGHT TIMBERS INTO THE FOUNDATION HOLES. LOOSELY SECURE THE TOP FIXINGS TO THE TOP HOLE OF THE ADJUSTABLE HDPE. POSITION THE HURDLE TIMBER (ITEM 2) INSIDE THE FRAME, ROTATE DOWN AND SECURE THE REMAINING FIXINGS IN PLACE.



2. CONTINUE THE SAME STEPS FOR THE REMAINING HURDLES.



3. FINALLY, ENSURE THE UNIT IS LEVEL AND PLUMB. ALL FIXINGS HAVE BEEN TIGHTENED AND PROTECTIVE CAPS IN PLACE. ADD CONCRETE TO EACH FOUNDATION HOLE AND LEAVE FOR 48 HOURS



UNLESS OTHERWISE SPECIFIED:
DIMENSIONS ARE IN MILLIMETERS
TOLERANCES:
LINEAR: ±2MM
1 DECIMAL PLACE: ±0.5MM
ANGULAR: ±1°

PROPRIETARY AND CONFIDENTIA

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF FENLAND LEISURE PRODUCTS. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF FENLAND LEISURE PRODUCTS IS PROHIBITED.

PRO-500-183 ADJUSTABLE HURDLES (FC24)

03/03/2021

А3

Page:

Product Range: FITNESS TRAIL

OP-TOP online playgrounds

DO NOT SCALE FROM DRAWING

Tel: 01354 638359 www.onlineplaygrounds.co.uk