1M-1.03 DOUBLE HIGH BARS

1M - 1.03.A, 1M - 1.03.B
1M - 1.03.C, 1M - 1.03.D

Data sheet
Karta katalogowa
Scheda di dati
Fiche Technique
Datenblatt

EN

Two horizontal bars. Possible lengths: 120/150/200/240 cm. They are used to perform exercises in the hanging position. Installed at different heights they enable less and more advanced exercises.


Considering the equipment specifics, there is a possibility to install the bars at different heights ranging from 180 cm to 240 cm.


The devices can be used by adults and children from 14 years of age.

Maximum weight of user 120 kg.

Prepared on the basis of the following standards: PN-EN 1176-1:2009.

Manufactured in Poland.





Starmax - Outdoor Fitness Center
Rycerska 3 st, 83-050 Bakowo, Poland
tel. +48 884 000 884, +48 600 273 852
fitness@outdoorfitness.pl

www.tuv.com TÜVRheinland PN-EN 16630:2015

OVER 1000 PROJECTS

100% Polish product

EU

www.outdoorfitness.pl

1M-1.03 DOUBLE HIGH BARS

1M - 1.03.A, 1M - 1.03.B
1M - 1.03.C, 1M - 1.03.D

Maintenance manual
Instrukcja konserwacji
Manuel de maintenance
Manuale di manutenzione
Wartungshandbuch

EN

A inspection is carried out as follows:

Routine inspection:

Visual inspection device is intented to detect visible damage and risks that could arise for reasons such as: misuse, vandalism or weather conditions.

NOTE 1 For outdoor fitness installed in areas with intensive use of equipment, and also in areas characterized to frequent damage caused by vandalism, may be required daily inspection.
NOTE 2 During the inspection routine and operational should pay attention to: cleanliness, level ground state of the ground, exposed (mobile) foundations, sharp edges, missing parts, excessive used (mobile and disperse the parts), structural strength of construction.

Operational control:

More accurate than a routine inspection of facilities for checking the functionality and stability of exercise equipment. You should do this every 1 to 3 months according to guidance of manufacturer.

Main annual inspection:

Control of defining the overall condition for safe exploating of equipment (main annual review).

NOTE 3 Main annual inspection may need to dig or decompose (spin) of individual equipment or their parts.
The annual inspection should be performed by the manufacturer or an authorized repairer 1-MOVE. Submissions annual inspection the following address:
1@1move.pl

Failures
In the absence of damage or exploating of the device must be immediately replaced or repaired. If this is not possible, secure the unit before use. Contact the site 1-MOVE Center: 1@1move.pl.
Use only original spare parts. Repair and replacement of parts may only make the manufacturer or its authorized representative.



Starmax - Outdoor Fitness Center
Rycerska 3 st, 83-050 Bakowo, Poland
tel. +48 884 000 884, +48 600 273 852
fitness@outdoorfitness.pl


www.tuv.com TÜVRheinland PN-EN 16630:2015
OVER 1000 PROJECTS
100% Polish product
EU

1M-1.03 DOUBLE HIGH BARS

1M - 1.03.A, 1M - 1.03.B
1M - 1.03.C, 1M - 1.03.D

Installation manual
Instrukcja instalacji
Manuel d'installation
Manuale di installazione
Installationshandbuch

		
2,40 m	31-41	14 →+



Starmax - Outdoor Fitness Center
Rycerska 3 st, 83-050 Bakowo, Poland
tel. +48 884 000 884, +48 600 273 852
fitness@outdoorfitness.pl

www.tuv.com TÜVRheinland PN-EN 16630:2015

OVER 1000 PROJECTS

100% Polish product

EU


www.outdoorfitness.pl

1M-1.03 DOUBLE HIGH BARS

1M - 1.03.A, 1M - 1.03.B
1M - 1.03.C, 1M - 1.03.D

Impact Area
Strefa upadku
Zone d'Impact
Area de Impacto
Fallraum

31 m^2



Starmax - Outdoor Fitness Center
Rycerska 3 st, 83-050 Bakowo, Poland
tel. +48 884 000 884, +48 600 273 852
fitness@outdoorfitness.pl


www.tuv.com TÜVRheinland PN-EN 16630:2015
OVER 1000 PROJECTS
100% Polish product
EU

1M-1.03 DOUBLE HIGH BARS

1M - 1.03.A, 1M - 1.03.B
1M - 1.03.C, 1M - 1.03.D

Concrete pad
Fundament betonowy
Dalle béton
Solera de Hormigón
Beton Bodenplatte

0,75 m^2 / 0,375 m^3



Setting Out Point
Punkt odniesienia
Point de Référence
Punto de referencia
Bezugspunkt


Starmax - Outdoor Fitness Center
Rycerska 3 st, 83-050 Bakowo, Poland
tel. +48 884 000 884, +48 600 273 852
fitness@outdoorfitness.pl

www.tuv.com TÜVRheinland PN-EN 16630:2015
OVER 1000 PROJECTS
100% Polish product
EU

1M-1.03 DOUBLE HIGH BARS

1M - 1.03.A, 1M - 1.03.B
1M - 1.03.C, 1M - 1.03.D

Footing plan
Plan fundamentowania
Implanation
Implanación
Fundamentplan



16xM12x35 DIN 912	16xM12 DIN 1587	16xM16	24	2x	

Starmax - Outdoor Fitness Center
Rycerska 3 st, 83-050 Bakowo, Poland
tel. +48 884 000 884, +48 600 273 852
fitness@outdoorfitness.pl

www.tuv.com TÜVRheinland PN-EN 16630:2015 | OVER 1000 PROJECTS | 100% Polish product | EU

www.outdoorfitness.pl